

Beneficis dels Pallassos d'Hospital

Estudis relacionats amb els beneficis en el pacient, personal sanitari i familiars

1. Bennett PN, Parsons T, Ben-Moshe R, Weinberg M, Neal M, Gilbert K, et al. Laughter and humor therapy in dialysis. *Semin Dial.* 2014;27(5):488–93.

<https://pubmed.ncbi.nlm.nih.gov/24467450/>

2. Scheel T, Hoepfner D, Grotevendt A, Barthlen W. Clowns in Paediatric Surgery: Less Anxiety and More Oxytocin? A Pilot Study. *Klin Padiatr.* 2017 Sep;229(5):274–80.

<https://pubmed.ncbi.nlm.nih.gov/28806842/>

3. Gomberg J, Raviv A, Fenig E, Meiri N. Saving Costs for Hospitals Through Medical Clowning: A Study of Hospital Staff Perspectives on the Impact of the Medical Clown.

Clin Med Insights Pediatr. 2020;14:117955652090937.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7065276/>

4. van Venrooij LT, Barnhoorn PC. Hospital clowning: a paediatrician's view. *Eur J Pediatr* [Internet]. 2017;176(2):191–7.

<http://dx.doi.org/10.1007/s00431-016-2821-8>

5. Bruins Slot J, Hendriks M, Batenburg R. Feeling happy and carefree: a qualitative study on the experiences of parents, medical clowns and healthcare professionals with medical clowns. *Int J Qual Stud Health Well-being* [Internet]. 2018;13(1).

<https://doi.org/10.1080/17482631.2018.1503909>

6. Sridharan K, Sivaramakrishnan G. Therapeutic clowns in pediatrics: a systematic review and meta-analysis of randomized controlled trials. *Eur J Pediatr.*

2016;175(10):1353–60.

<https://pubmed.ncbi.nlm.nih.gov/27605131/>

7. Kocherov S, Hen Y, Jaworowski S, Ostrovsky I, Eidelman AI, Gozal Y, et al. Medical clowns reduce pre-operative anxiety, post-operative pain and medical costs in children undergoing outpatient penile surgery: A randomised controlled trial. *J Paediatr Child Health.* 2016;52(9):877–81.

https://www.unboundmedicine.com/medline/citation/27289035/Medical_clowns_reduce_pre_operative_anxiety_post_operative_pain_and_medical_costs_in_children_undergoing_outpatient_penile_surgery:_A_randomised_controlled_trial_

8. Mar H, Pedreira-robles G, Vasco-gómez A, Herrera-morales C. Using creative activities to improve dialysis patients' treatment perceptions. 2018;(September).

<https://pubmed.ncbi.nlm.nih.gov/30304631/>

9. Bertini M, Isola E, Paolone G, Curcio G. Clowns benefit children hospitalized for respiratory pathologies. Evidence-based Complement Altern Med. 2011;2011.
<https://www.hindawi.com/journals/ecam/2011/879125/>
10. Manuel J, Quiles O. Los payasos en el hospital: valoración de un programa para reducir la ansiedad ante la cirugía the face of surgery. Cuad Med psicosomática y Psiquiatr enlace. 2011;99(January 2011):41–9.
https://www.researchgate.net/publication/277273515_Los_payasos_en_el_hospital_valoracion_de_un_programa_para_reducir_la_ansiedad_ante_la_cirugia
11. Vagnoli L, Caprilli S, Robiglio A, Messeri A. Clown doctors as a treatment for preoperative anxiety in children: A randomized, prospective study. Pediatrics. 2005;116(4).
<https://pubmed.ncbi.nlm.nih.gov/16199685/>
12. Finlay F, Baverstock A, Lenton S. Therapeutic clowning in paediatric practice. Clin Child Psychol Psychiatry. 2014;19(4):596–605.
<https://journals.sagepub.com/doi/abs/10.1177/1359104513492746>
13. Dionigi A. STATE OF THE ART AND SCIENCE Clowning as a Complementary Approach for Reducing Iatrogenic Effects in Pediatrics. AMA J Ethics [Internet]. 2017;19(8):775–82. Available from: www.amajournalofethics.org
<https://pubmed.ncbi.nlm.nih.gov/28846517/>
14. Dionigi A, Canestrari C. Clowning in health care settings: The point of view of adults. Eur J Psychol. 2016;12(3):473–88.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4991052/>
15. Brutsche MH, Grossman P, Müller RE, Wiegand J, Pello, Baty F, et al. Impact of laughter on air trapping in severe chronic obstructive lung disease. Int J COPD. 2008;3(1):185–92.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2528214/>
16. Casellas-Grau A, Ochoa C, Lleras De Frutos M, Flix-Valle A, Rosales A, Gil F. Perceived changes in psychological and physical symptoms after hospital clown performances in a cancer setting. Arts Heal [Internet]. 2020;00(00):1–15.
<https://doi.org/10.1080/17533015.2020.1744172>
<https://pubmed.ncbi.nlm.nih.gov/32223531/>
17. de Lima RAG, Azevedo EF, Nascimento LC, Melo Rocha SM. The art of Clown theater in care for hospitalized children. Rev da Esc Enferm. 2009;43(1):178–85.
<https://pubmed.ncbi.nlm.nih.gov/19437871/>
18. Gozal Y, Koteck A, Mimouni F. Preoperative anxiety in children: Medical clowns vs oral midazolam. Eur J Anaesthesiol. 2011;28:148.
<https://pubmed.ncbi.nlm.nih.gov/19143948/>

19. Oren-Ziv A, Hanuka P, Rotchild M, Gluzman A, Uziel Y. [Medical clowns--dream doctors as important team members in the treatment of young children with juvenile idiopathic arthritis]. Harefuah. 2012;151(6):2011.

https://www.researchgate.net/publication/230883728_Medical_clowns_dream_doctors_as_important_team_members_in_the_treatment_of_young_children_with_juvenile_idiopathic_arthritis

20. Gorfinkle KS, Slater JA, Bagiella E, Tager FA, Labinsky EB. Child Behavioral Distress During Invasive Oncologic Procedures and Cardiac Catheterization With the Big Apple Circus Clown Care Unit 55. *Pediatr Res*. 1998;43:12–12.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7737653/>

21. Golan G, Tighe P, Dobija N, Perel A, Keidan I. Clowns for the prevention of preoperative anxiety in children: A randomized controlled trial. *Paediatr Anaesth*. 2009;19(3):262–6.

<https://www.uv.es/friasnav/Estudio1Primario.pdf>

22. Meisel V, Chellew K, Ponsell E, Ferreira A, Bordas L, García-Banda G. The effect of “hospital clowns” on distress and maladaptive behaviours of children who are undergoing minor surgery | El efecto de los “payasos de hospital” en el malestar psicológico y las conductas desadaptativas de niños y niñas sometidos a cirugía men.

Psicothema. 2009;21(4):604–9.

<https://www.psicothema.com/pdf/3678.pdf>

23. Hansen LK, Kibaek M, Martinussen T, Kragh L, Hejl M. Effect of a clown’s presence at botulinum toxin injections in children: A randomized, prospective study. *J Pain Res*. 2011;4:297–300.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3191928/>

24. Blain S, Kingsnorth S, Stephens L, McKeever P. Determining the effects of therapeutic clowning on nurses in a children’s rehabilitation hospital. *Arts Heal*. 2012;4(1):26–38.

https://www.researchgate.net/publication/254236496_Determining_the_effects_of_therapeutic_clowning_on_nurses_in_a_children's_rehabilitation_hospital

25. Gilboa-Negari Z, Abu-Kaf S, Huss E, Hain G, Moser A. A cross-cultural perspective of medical clowning: Comparison of its effectiveness in reducing pain and anxiety among hospitalized Bedouin and Jewish Israeli children. *J Pain Res*. 2017;10:1545–52.

<https://www.dovepress.com/a-cross-cultural-perspective-of-medical-clowning-comparison-of-its-eff-peer-reviewed-fulltext-article-JPR>

26. Saliba FG, Adiwardana NS, Uehara EU, Silvestre RN, Leite V V., Faleiros FTV, et al. Salivary cortisol levels: The importance of clown doctors to reduce stress. *Pediatr Rep*. 2016;8(1):7–9.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4821216/>

27. Efrat-Triester D, Altman D, Friedmann E, Margalit DLA, Teodorescu K. Exploring the usefulness of medical clowns in elevating satisfaction and reducing aggressive tendencies in pediatric and adult hospital wards. BMC Health Serv Res. 2021;21(1):1–14.

<https://bmchealthservres.biomedcentral.com/articles/10.1186/s12913-020-05987-9>

28. Pallapupas. Estudis Vida. Avaluació de l'impacte del programa Pallapupas.

<https://pallapupas.org/ca/el-poder-del-riure/>

29. Karisalmi N, Mäenpää K, Kaipio J, Lahdenne P. Measuring patient experiences in a Children's hospital with a medical clowning intervention: A case-control study. BMC Health Serv Res. 2020;20(1):1–12.

“clown” OR “clown doctor” OR “clown therapy” OR “medical clowning” OR “hospital clown” OR “clinic clown”

<https://bmchealthservres.biomedcentral.com/articles/10.1186/s12913-020-05128-2>